Modulo® Acoustic (PAT. PENDING)



Mesa

Mesa is a wood panelling look-alike profile but is far easier, faster, and more cost effective to install than traditional panelling. It is holistically designed to perform in Group 1 fire-rated and noise-sensitive interiors.



Modulo® Acoustic Mesa shown in NAVURBAN™ Balmoral

How to Specify

Product Screenwood Modulo® Acoustic

Application Internal use only

Substrate Aluminium

Fire Group 1 NRC 0.75

Profile Mesa

Length Available lengths: 2.7m, 3.6m, 5.4m

Finish Select finish (e.g. NAVURBAN™ Balmoral)

Certifications

Acoustic performance

Achieves NRC 0.75 when installed as recommended.

Global GreenTag™ certified

All our products are Global GreenTag[™] certified. As this one has just launched, certification for Modulo[®] Acoustic is underway to align with our ethical and sustainability goals.

Fire certified

Group 1 fire-rated, tested to AS5637.1 and AS/NZS 1530.3:1999.

Resistant to wear

NAVURBAN™ tested for abrasion resistance to AS 1580.

Light Reflectance Value

NAVURBAN™ tested for exposure in indoor applications to AS/NZS 1428.1.

Low VOC

Exceeds GBCA requirements for commercial fitouts. Tested for organic emissions to ASTM D5116-2017.

UV resistant

NAVURBAN™ tested for exposure in indoor applications to ASTM D4459.

Test results are available on request.

Version 3






Modulo® Acoustic



Mesa

Profile detail

10.5kg/m²



Concave curve


300mm Curve Radius

2000000

Convex curve

300mm Curve Radius





Drawings not to scale.





Modulo® Acoustic



Mesa



Visit screenwood.com.au/finishes



Visit screenwood.com.au/resources

Accessories

- Installation is simple with Screenwood start trim and external corner trim available to fit Modulo[®] Acoustic providing a professional finish.
- No costly componentry is required and can be combined with aluminium trims supplied by others.

Ultra-realistic Finishes

Modulo® is profile wrapped in premium NAVURBAN™ non-PVC olefin decorative film with seamless finish matching across Screenwood and NAVURBAN™ products. Low VOC, UV and abrasion resistant, no ongoing maintenance and a large scale pattern to avoid pattern repeat.

For the latest finishes, please visit screenwood.com.au/finishes.

Features

- For interior walls, ceilings and curves of up to 300mm radius
- High acoustic performance
- Group 1 fire rated & Golbal GreenTag[™] certification pending
- Prefinished in olefin film for an ultra-realistic finish
- · Low VOC, UV and abrasion resistant
- Simple to install and no ongoing maintenance
- · Easy to order with a fast manufacturing lead time
- Arrives in recyclable packaging
- Designed and made in Australia by Screenwood



Need to know more? We're here to help.

hello@screenwood.com.au +61 2 9521 7200 screenwood.com.au



